

1	JANUARY 17TH 2025 KATOWICE
2	
3	
4	
5	EUROPEAN CLIMATE AND HEALTH OBSERVATORY
6	
7	EUROPEAN ENVIRONMENTAL AGENCY
8	
9 10	
11	THEORY OF MAIN CLIMATE PROBLEM AND SOLUTION.
12	
13	
14	REQUEST FOR THE SPONSORSHIP OF A GEOMAGNETIC RESEARCH
15	EXPEDITION IN THE ARCTIC AND ANTARCTIC GEOGRAPHIC AND
16	GEOMAGNETIC POLAR REGIONS TO DETERMINE THE POSSIBILITY OF A
17	CLIMATE REPAIR BY THE INCREASE OF THE EARTH'S MAGNETIC FIELD BY
18	REMOVAL OF PART OF POLAR ICE SHEET OF THE ANTARCTIC REGION.
19	
20	
21	



## 22 FOREWORD

23

24 I am approaching you with an opportunity to sponsor a very special type of research that has never been done before. The climate of the entire planet depends on the magnetic field that is 25 26 generated in the depths of the earths center. In the last few millions of years, the natural magnetic 27 field that protects the earth from all sort of warming and cancerous radiation has been weakening. It 28 is a common scientific believe that the weakening of the magnetic field is a naturally occurring 29 unreversible effect of unknown changes in the center of the earth and in the sun. My theory about this 30 is quite the opposite. It promises full climate repair and new possibilities for you the sponsors that 31 human kind your investors had never dreamt of.

32

## 33 THEORY

34


which requires testing through simple scientific research that will help determine whether it is possible to cool the climate by introducing a simple solution that allows for increasing the strength of the earth's magnetic field, which will, through the proposed solution, reflect more of the sun's ultraviolet waves, which causes the warming of the climate of the entire planet by excessive heating of free carbon compounds in the atmosphere.

40

The Earth has a natural magnetic field that provides a natural protection against all kinds of harmful radiation coming from space by the simple process of collision of earth's magnetic waves that reflects and refracts substantial portion of harmful cosmic waves such as Ultraviolet ABC by very strong circulation of the magnetic field between both poles, which is crucial to reflect large portion of UV and other harmful rays. Picture below graphically shows the process of magnetic field circulation that reflects and refracts cosmic rays and ultraviolet coming from the sun and the outer space in general.

- 48
- 49





53 The strength of the earth's magnetic field that must be very strong in order to protect us from 54 global warming, skin cancer, wild fires, and other natural disasters sufficiently depends on four key 55 factors:

56

50 51 52

- A. The ability of the full magnetic field flux to exit from the earth's core beneath the Arctic waters
  to the magnetosphere without the loss of its flux that can be measured in nano-Tesla's (nT)
- B. The ability of the full magnetic field flux to return to the earth's core beneath the Antarctic ice
  from the magnetosphere without the loss of its flux that can be measured in nano-Tesla's (nT)
- C. A measurable loss of the magnetic flux in the way of maximal circulation caused by the
   interference obstacles that reduce the strength of the outgoing and or incoming magnetic field
   flux present that can be measured in nano-Tesla's (nT)
- D. The field interference material type, material amount and material location that can bemeasured and identified using standard geological studies.
- 66
- 67 INTERFERENCES:
- 68

My theory assumes that in the early evolution there was Ice in the Antarctic nor was there andIce in the Arctic. A recent finding of the ancient marine fossils on the Mt Everest proves that earth

KRZYSZTOF IRENEUSZ PAWLAK EMAIL@EUGENIX.ORG EUGENIX.ORG



- 71 continents its locations and elevations were long time ago something it's hard to imagine due to lack
- 72 of understanding of force of magnetism on earths never stopping formation.
- 73



74

75

One of those forces of magnetism recently identified is the ability of magnetic field to
kinetically drive motion and pressure of hydrogen containing substances such as water and methane
gas as it was published in the Fuel and Energy Magazine under the title: Methane Hydrate
Formation in the Presence of Magnetic Fields: Laboratory Studies and Molecular-Dynamics
Simulations.

81

That study proves some parts of my theory being that hydrogen compounds are driven kinetically by the magnetic field meaning they move faster meaning produce more kinetic energy in the presence of the magnetic field that creates an opportunity to use magnets to increase output energy in the process of burning methane gas which is the benefit to you the sponsors to use that new found property in the next generation of gas furnaces that use simple neodymium magnets to increase energy from same amount of gas as it shown in the picture below from that study.

Z Domu Piastów & Wazów






Figure 2. COMSOL-calculated contour plots of the total magnetic field intensity with red arrows indicating the field-vector direction and the color map representing field magnitude. The red rectangle demonstrates the gas-water interface area in the reactor. The black rectangles indicate the position and number of static N42 magnets applied in different configurations.

90

89


Another property that was discovered in the same study is that magnetic attracts hydrogen compounds meaning hydrogen compounds move in the direction of the magnetic field which explains a large amount of natural hydrogen based fuels and other compounds such as water in the polar regions as the magnetic field tries to return to the center of the earth but since it cannot penetrate geological structure of the Antarctic it simply builds up its volume and due lack of regular sun light in the Antarctic it becomes Ice.

97

98 The Arctic and the Antarctic are most likely very large deposits of all kinds of hydrogen 99 compounds such as methane and other hydrogen-based fuels and due to the fact that hydrogen is 100 kinetically driven by the magnetic field which absorbs a part of natural magnetic field coming out 101 from the earth and going back to the earth it might have to be removed to decrease the interference 102 that it creates for the earth's natural magnetic field ability to perform at its maximum flux that is 103 now so low that creates large anomaly in the South American region the very opposite of the Guam 104 Island that I also found to have the highest recorded flux out of all USGS magnetic flux measuring 105 stations a whooping 36,997.6 nT the exact opposite what a coincidence no one notices. Current filed 106 flux force shown in the picture below with the anomaly opposite to Guam.

- 107
- 108






109

110

116



- The visible light waves that travel thru water are slower than those waves that travel thru
   air and the outer space. Light speed in air and outer space is approximately ~300,000 km/s
   and in the fresh water ~ approximately 225,000 km/s. In the sea water even less.
- 117
  2. The radio waves of a home wi-fi router are stopped when there are cases of bottles of
  118 water or large aquariums and or biological bodies near the router antennas or in the path
  119 of wi-fi radio waves to wi-fi enabled devices as the water slows down the wi-fi radio waves
  120 just like the water stops the visible light waves causing internet protocol sessions to time
  121 out failed to deliver data and or any portion of requested data on time to your devices and
  122 from your devices to your wi-fi router.
- 123
- 3. The regular home microwave oven uses the previously mentioned properties of hydrogen
  containing compounds meaning kinetic energy increase in the presence of magnetic field
  and due to fact that microwaves are a form of magnetic field waves just of a different
  frequency and higher power example 900W in result excite kinetically water molecules

KRZYSZTOF IRENEUSZ PAWLAK EMAIL@EUGENIX.ORG EUGENIX.ORG




128 129 containing hydrogen that by the friction and vibration heat up any water molecules exposed to the microwave oven waves coming from the magnetron to your dish of choice.

130

The earth's natural magnetic field waves are blocked by the water and ice in exactly same way as the waves of a visible light and the waves of the home wi-fi router are blocked by the presence of water and other hydrogen compound and at same time cause uncontrolled release of those hydrogen compounds by the process of kinetic energy transfer from the magnetic field to those compounds in exact same way like the kinetic energy is passed on to your cold dish in the microwave oven causing premature release of the hydrogen compounds. Release of the methane is already observed in the Arctic region.

138



139

# 140 141 SUMMARY

142

143 Millions of years of hydrogen compounds circulation due to natural attraction to the magnetic field 144 and darkness in the polar region have formed large ice and water deposits in the Arctic and Antarctic 145 polar regions that now due to low magnetic field and by higher Ultraviolet radiation and the kinetic 146 properties of hydrogen compounds to resonate hydrogen molecules cause the Arctic water, the 147 Antarctic ice, and below contained hydrogen compounds to slowly release, but not fast enough to 148 reintroduce the melting ice and released CO<sub>2</sub> to the atmosphere that allows to redistribute melted ice Z Domu Piastów & Wazów 7 z 10 Z Duchem Świętym & Bogiem KRZYSZTOF IRENEUSZ PAWLAK EMAIL@EUGENIX.ORG EUGENIX.ORG




and other compounds to dry land as the temperatures in the day stay too high for the water to beabsorbed and all that due to one simple reason.

151

To low magnetic flux due to excess ice in the Antarctic region and excess water in the Arctic region that cannot reflect and refract enough of ultraviolet radiation. It is a sad cycle but basic principle like with the operation of old freezers that from time to time due to frequent opening of the doors which allows kinetically charged warm and or moist air to enter the freezer plate and after the door closes in the absence of circulation any moisture trapped can form ice and kinetic energy that is trapped can form ice from the water already contained in the freezer that eventually has to be mechanically removed with tools.

159



- 160
- 161

Earth's natural magnetic field waves properly classified as Extremely Low Frequency waves do are not able to penetrate water and ice thicker then 100 meters as some of the studies done by the military testing that tried to use ELF waves for submarine communication have found and have failed. This is a final critical finding that requires intervention and sponsorship that will benefit in new abilities for the gas industry and possibly give access to natural resources below the Arctic and



Antarctic. Technology is advance enough to begin the manual repair of magnetically driven Climateand benefit from it.

169

170 The last issue to consider is the current magnetic circulation of the earth. The field currently 171 leaves in the north and returns in the south. I assume that removing the appropriate amount of ice 172 from the Arctic by reducing its thickness in relation to the depth of water under the Arctic pole will 173 reverse the direction of the earth's magnetic field, providing even stronger protection against ultraviolet waves, which pass through the magnetosphere and heat free carbon compounds similarly 174 to coal in tiled stoves, which heat up slowly but heat up for a long time when red-hot, which causes 175 176 very long and extensive drying of areas, fires, and in other regions when water does fall, it is in the 177 form of downpours, floods, and in combination with other atmospheric phenomena causes other 178 disasters, the solution of which is within the scope of measuring the magnetic force under the 179 Antarctic ice and the waters of the Arctic.

180

## 181 CONCLUSION

182

The weather patterns all over the world and the icing of the poles in itself are definitely due to magnetic properties of hydrogen elements and compounds such as water and methane as I presented above in this writing. We have to start to study the methods of the removal of the Antarctic icing as soon as possible, hopefully not by the atomic methods at all as there is no atomic weapons yet that cause no harmful radiation, but I am not able to exclude that possibility due to lack of interest that later might become a lifeline.

189

190 Therefore, it would be necessary to; measure the strength of the magnetic field beneath the 191 surface of the Antarctic ice, that now ranges from -1000m to 5500m; and necessary to measure the 192 strength of the magnetic field beneath the Arctic waters of depths that ranges from -800m to -2200m. 193 Those magnetic flux studies would be sufficient to calculate the area of ice and water that would need 194 to be removed to achieve the appropriate strength of the Earth's magnetic field reflecting harmful 195 amounts of ultraviolet waves through natural reflection and refraction with a stronger field resulting 196 from the thinner layer of ice/water that is an obstacle on the way from the Earth's core to the 197 magnetosphere and back to the earth's core.

198



## 199 FINAL WORDS

200

201 Dear sponsors all funds help as I do all the research using my personal finances that come 202 from jobs that I had to take around the world to collect all data in order to form my theory. I would 203 love to meet to discuss large sponsorship and scientific cooperation. I will also take any donations for 204 my current expenditures that I had to cover using a credited to me funds. I believe there is a reason 205 somewhat sad that I was born in Lubin, the city of copper mining and after circling the globe in search 206 for the climate and health solutions I happen to be in Katowice another mining city of coal. It might 207 just be my good nose that rather study above the ground then underground as some of my class mates have chosen for the career for theme selves. Someday no one will have to work in coal mines and 208 209 copper mines will be safer too. Let's fix the climate the right way and use the resources of Antarctic to do it while further research in kinetic properties of magnetic gases allow us to achieve more power 210 211 from fewer resources.

212

Moving forward with the removal of the ice means climatic and environmental legislative solutions and allowances for frontier companies involved in the endeavor that will most likely generate taxes to finance the ice and resources removal that if I am correct will happen sooner or later. But later its most likely nuclear that will not bring profit nor resources to the people around the world. Help with the frost Ladies and Gentleman. All types of donations, arrangements and sponsorships are much welcome and apricated.

219

220

K Pawlak

221 222

Fundator Eugenix®