



30.04.2025

KATOWICE

*WORLD HEALTH ORGANIZATION
CENTER FOR DISEASE CONTROL
REPUBLIC OF POLAND MINISTRY OF HEALTH
PETITION TO CLASSIFY **HETEROTRIACHIUM** INTO THE
INTERNATIONAL CODE OF DISEASES ICD.*

I KINDLY REPORT AND PETITION THE WORLD HEALTH ORGANIZATION AND THE
MINISTRY OF HEALTH OF THE REPUBLIC OF POLAND THAT AN ADDITION OF
UNCLASSIFIED HEREDITARY CONDITION NAMED HETEROTRIACHIUM IS PROPOSED
INTO THE INTERNATIONAL CLASSIFICATION OF DISEASES (ICD-11). THE CONDITION
NAME HETEROTRIACHIUM IS TRANSLATED IN TO OTHER LANGUAGES AS LISTED
BELOW.

IN THE LATIN LANGUAGE: **HETEROTRIACHIUM.**

IN THE POLISH LANGUAGE: **HETEROTRYCHOZA.**

IN THE ENGLISH LANGUAGE: **HETEROTRIACHIA,
HETEROTRICHOSIS.**



MORPHOLOGY:

HETEROTRIACHIUM is a type of congenital disease observed only in people born of parents who are of two visibly different phenotypes of the body hair. The result of procreation of persons of two different phenotypes can result in:

(1) *BLENDED HAIR*. The hair on all parts of the skin changes the color of all hair completely and not resample either parent with the result of blended color. For example, a non-homogeneous procreation between a Blond hair and Black hair can result in permanent *blended phenotype of hair* across all skin surfaces that does not resemble any of the original hair from either parent during childhood and adolescence. Any colors from group A.

(2) *BLEACHED HAIR*. The hair on all parts of the skin changes the color of all hair completely and not resample either parent with the result of separated color. For example, a non-homogeneous procreation between a Blond hair and Black hair can result in permanent *bleached phenotype of hair* across all skin surfaces that does not resemble any of the original hair from either parent during childhood and adolescence. Any colors from group B and C.

(3) *HETEROTRIACHIUM*: The hair color across any of the body surfaces are two or more color(s) that are acquired color characteristics of:

(a) Both parent's hair colors across body surfaces:

- i. without any other hair colors.
- ii. with single or various brighter hair color(s).
- iii. with single or various blended hair color(s).
- iv. with single or various bleached hair color(s).
- v. with single or various darker hair color(s).

(b) Either parent's hair color across body surfaces:

- i. without any other hair colors.
- ii. with single or various brighter hair color(s).
- iii. with single or various blended hair color(s).
- iv. with single or various bleached hair color(s).
- v. with single or various darker hair color(s).



(4) *HETEROTRIACHIUM HOMOPHENOTYPICAL*. The hair color across any of the body surfaces are two or more color(s), and do not change its colors thru out live from childhood and adolescence.

(5) *HETEROTRIACHIUM HETEROPHENTYPICAL*. The hair color on any of the body surface can change its color at any given time on any given body part and surface area causing the hair to change its color for a period. The length of the period that the hair has changed its color can vary based on a lot of factors such as weather, self-esteem, depression, etc. The changes can be cyclical, with fixed or variable times and durations, changing hair colors quickly or gradually, predictably or unpredictably.

HETEROTRIACHIUM PHOTOHETEROPHENOTYPICAL The hair can change just from the fact of being exposed to different amount of light for specific time. The hair under the light and darkness will change its color and when return to previous lightning condition the color will return to previous state. In this case we can use the term *PHOTOPHENOTYPICAL HETEROTRICHOSIS* and *PHOTOHETEROPHENOTYPICAL HETEROTRICHOSIS*. Other names and word orders are also welcome.



SYMPTOMS OF ILLNESS:

1. Heterotrichosis of permanent and changing hair colors causes constant discomfort and disturbs the uniform and balanced sensation.
2. Different light colors of hair cause different types of sensations on pressure and intimate touch.
3. Different dark colors feel coarse on sensation and during muscle tensions for example on beard.
4. Hair of Blended type is muted and hardly gives out any specific sensations and does not coexist at the same time with the sensations of hair of other hair colors.
5. All skin and hair sensations are mutually delayed.
6. Touch of part of hair in one body part causes sensation to most to all hair in that section.
7. Skin tanning is uneven; the perception of the tan is not uniform and may cause lack of sensation in different skin areas.
8. Stinging and itching alternate between different body parts composed of different colors of hair.
9. Different perceptions of skin and hair heaviness, thickness, and volume, on body surfaces with dark, medium, and light hair.
10. Bright and dark hair in near approximation itches extensively more than hair of different yet similar colors.
11. Changes in memory and mood accompanying a change in hair color from light to dark. Return of previous memory and concentration abilities after returning to lighter hair color.
12. Different hair colors have different long-lasting odors that are perceived by the nose in different ways, causing different pleasant and unpleasant feelings and moods.
13. Sound hearing is different in the left and different in the right ear during different hair phases and hair. Hair sensation also changes based on different type of music.
14. Falling asleep and the length of sleep depend on the sensations in the hair and skin; the more they are felt, for example on the chin and stomach, the more difficult it is to fall asleep.



ILLNESS SYMPTOMS LISTED ARE OF HAIR COMPOSITION DESCRIBED BELOW.

A. Feet.	Main hair A3. Single hairs A0-A2.
B. Lower Limbs.	Main hair A3. Single hairs A0-A2.
C. Buttocks.	Main hair A4-A6.
D. Back.	Main hair A4-A6.
E. Shoulders.	Main hair A4-A6.
F. Arms.	Main hair A4-A6.
G. Head.	Main hair A2-A5. Hair colors change very slow.
H. Ears.	Main hair A5-A6.
I. Face.	Facial hair very diverse. A0-A6. Hair colors change very slow.
a. Eyebrows.	Main hair A0-A4. Inter eyebrows space single hairs A0.
b. Eyelashes.	Main hair A6.
c. Nose.	Main hair A5-A6.
d. Cheeks.	Main hair A0-A6.
e. Lips.	Main hair A0-A3.
f. Chin.	Main hair A3-A6.
J. Beard.	Main hair A3-A6.
K. Neck.	Main hair A4-A6.
L. Chest.	Main hair A3-A5.
M. Abdomen.	Main hair A3-A5.
N. Hips.	Main hair A3-A4.
O. Groin.	Main hair A0-A2.
P. Pubis.	Main hair A0-A2.
Q. Armpits.	Main hair A0-A3.
R. Upper Limbs.	Main hair A3. Single hairs A0-A2.
S. Hands.	Main hair A3. Single hairs A0-A2.
T. Fingers.	Main hair A3. Single hairs A0-A2.

Mother hair uniformed D7 on all body surfaces.

Father hair mostly A1-A2 with variable number of hairs A0 on all body surfaces.



PERSONAL RECOMMENDATIONS:

My personal recommendation is to make WHO and other Health Entities aware that *heterotribal*, *heterogenous*, *heteronatural* procreation modifies natural phenotype of hair and therefore the sensory, biochemical, neuronal processes of the head, skin, muscles, nerves, brain, specific, required, psychological, functional, which makes it a condition that requires the use of research that requires leaving the exit of the study:

1. Statistical and morphological studies of persons with heterotrichosis together with examination of the parents' phenotype.
2. A cellular anatomical studies of melanin types and levels inside individual different color hairs from roots to the ends with complete study of skin cells attached and surrounding the hair.
3. A complete study of all biochemicals and neurochemicals that are synthesized, transferred between body parts and are of different hair color skin.
4. A complete study of all VOC's volatile odorless and odorful chemicals that skin expels thru all different body parts that have different hair.
5. All data regarding different hair colors should be precise and detail the hair colors from which they originated using an RGB color meter or the scale developed by Eugenix® allowing for the entry of the RGB range.
6. I also recommend pharmacological study to minimized both the color changes and any medical and psychological discomfort as it appears during hair color changes. Substances containing a phototoxic *pheomelanin* for people that experience discomfort from dark hair might be appropriate and *emulanine* might be appropriate for people that rather darken hair as lighter hair bothers them too much.
7. Hair is poorly studied. The hair does appear to be of more importance than what is known. It is indeed an electromagnetic sensor of all inbound and outbound skin nonchemical external communications on antenna like principle relevant to *homonatural* skin-hair processes, across all different natural *homoclimatic* and *homogenous* ethnic tribal groups.



IMAGES OF HETEROTRIACHIUM VARIATIONS:



Picture number 6 is a picture of apparent *Waardenburg Syndrome* but since *Heterotrichium* and *Heterochromium* is only present in heterogenous born persons of two different natural homogenous persons it might be that the *Waardenburg Syndrome* is also a type of *Heterotrichosis* with *Heterochromium* of the irises originating from hereditary or hidden parts of the genes of the Arctic tribes. Verification would require microscopic study of cells of the hair and the iris to link them to the natural climatic groups of the arctic and subarctic climatogenic regions. *Waardenburg Syndrome* was never found in the pacific areas unvisited by natural arctic tribes so the thesis might be correct.



**HAIR COLOR CLASSIFICATION DEVELOPED BY EUGENIX®
FOR MEDICAL AND TRIBAL POPULATIONS STUDIES AND STATISTICS.**

A. ARCTICUS HERITAGE COLORS

0. Tribe of Ultra White Arctic Blancus Hair. (Arcticus Blancus) (FFFFFF-FFFFFF)
Approximate natural climatic territory based on hair pigmentation from 90° N to 62° N.
1. Tribe of Light Blond Hair. (Arcticus Blondus) (FFFFFFE- TBA)
Approximate natural climatic territory based on hair pigmentation from 62° N to 51° N.
2. Tribe of Medium Light Blond Hair. (Arcticus Blondus) (HEX-RGB Range TBA)
Approximate natural climatic territory based on hair pigmentation from 62° N to 51° N.
3. Tribe of Medium Blend Hair. (Arcticus Blendus) (HEX-RGB Range TBA)
Approximate natural climatic territory based on hair pigmentation from 62° N to 51° N.
4. Tribe of Medium Dark Blend Hair. (Arcticus Blendus) (HEX-RGB Range TBA)
Approximate natural climatic territory based on hair pigmentation from 51° N to 42° N.
5. Tribe of Dark Blund/Blunt Hair. (Arcticus Blundus) (HEX-RGB Range TBA)
Approximate natural climatic territory based on hair pigmentation from 51° N to 42° N.
6. Tribe of Ultra Dark Blund/Blunt Hair. (Arcticus Blundus) (HEX-RGB Range TBA)
Approximate natural climatic territory based on hair pigmentation below 42° N.

B. COARCTIC BURGUNDUS HERITAGE COLORS

1. Tribe of Light Red Hair. (FFFFFFE- TBA)
Approximate climatic territory based on hair pigmentation from 62° N to 51° N.
2. Tribe of Medium Light Red Hair. (HEX-RGB Range TBA)
Approximate climatic territory based on hair pigmentation from 62° N to 51° N.
3. Tribe of Medium Red Hair. (HEX-RGB Range TBA)
Approximate climatic territory based on hair pigmentation from 62° N to 51° N.
4. Tribe of Medium Dark Red Hair. (HEX-RGB Range TBA)
Approximate climatic territory based on hair pigmentation from 51° N to 42° N.
5. Tribe of Dark Red Hair. (HEX-RGB Range TBA)
Approximate climatic territory based on hair pigmentation from 51° N to 42° N.
6. Tribe of Ultra Dark Red Hair. (HEX-RGB Range TBA)
Approximate climatic territory based on hair pigmentation below 42° N.

C. COARCTIC BRUNETTUS HERITAGE COLORS



1. Tribe of Light Brown Hair. (FFFFFFE- TBA)
Approximate climatic territory based on hair pigmentation from 62° N to 51° N.
2. Tribe of Medium Light Brown Hair. (HEX-RGB Range TBA)
Approximate climatic territory based on hair pigmentation from 62° N to 51° N.
3. Tribe of Medium Brown Hair. (HEX-RGB Range TBA)
Approximate climatic territory based on hair pigmentation from 62° N to 51° N.
4. Tribe of Medium Dark Brown Hair. (HEX-RGB Range TBA)
Approximate climatic territory based on historical exposure from 51° N to 42° N.
5. Tribe of Dark Brown Hair. (HEX-RGB Range TBA)
Approximate climatic territory based on hair pigmentation from 51° N to 42° N.
6. Tribe of Ultra Dark Brown Hair. (HEX-RGB Range TBA)
Approximate climatic territory based on hair pigmentation below 42° N.

D. RAFALTICUS - AQUATICUS BLACK HERITAGE COLORS

0. Tribe of White to Gray Color Hair. (Rafalticus-Aquaticus Albus) (000000-808080)
7. Tribe of Completely Pure Black Hair. (Rafalticus-Aquaticus) (000000-000000)
Approximate natural climatic territory based on hair pigmentation from 42° N to 42° S.

Scale uses letters and digits to group types of hair and color intensity. Arcticus Blancus hair code uses (0) for natural white color hair. Number seven (7) is used for black color. Digits 0-7 are used to integrate with RGB-HEX binary numerical system. Determine tested hair colors always with the use of chromometer and compare to rest of present and past hair. Scale is intended for the classification of **Ethnic Hair Colors**. Hair color changes from gray and silver to white, from natural black hair because of aging or various medical reasons can be coded as *Albus hair* for what hair can be used code (0) like in the *Rafalticus-Aquaticus Albus D0*.

K Pawlak

*D.O.M. of the Piast & Wase
Founder and Board President of
Eugenix ® Simple Stock Corporation
Tribal and Indigenous Ethnic Minority of
Arcticus Blancus (Latin), Blanków (Polish).*